



2L SECTION FHP BELTS: Top Width = 0.25" Thickness = 0.16"

BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB
2L120	\$ 4.22	11.0	12.0	.02	2L190	\$ 4.22	18.0	19.0	.03	2L260	\$ 4.52	25.0	26.0	.04
2L140	\$ 4.22	13.0	14.0	.02	2L200	\$ 4.22	19.0	20.0	.03	2L300	\$ 4.58	29.0	30.0	.05
2L150	\$ 4.22	14.0	15.0	.02	2L220	\$ 4.22	21.0	22.0	.03	2L310	\$ 4.62	30.0	31.0	.05
2L160	\$ 4.22	15.0	16.0	.03	2L240	\$ 4.22	23.0	24.0	.04	2L320	\$ 4.68	31.0	32.0	.05
2L180	\$ 4.22	17.0	18.0	.03										



3L SECTION FHP BELTS: Top Width = 0.38" Thickness = 0.22"


BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB
3L120	\$ 4.22	10.7	12.0	.04	3L320	\$ 4.68	30.7	32.0	.11	3L520	\$ 6.39	50.7	52.0	.17
3L130	\$ 4.22	11.7	13.0	.05	3L330	\$ 4.74	31.7	33.0	.11	3L530	\$ 6.47	51.7	53.0	.18
3L140	\$ 4.22	12.7	14.0	.05	3L340	\$ 4.82	32.7	34.0	.12	3L540	\$ 6.54	52.7	54.0	.18
3L150	\$ 4.22	13.7	15.0	.05	3L350	\$ 4.93	33.7	35.0	.12	3L550	\$ 6.62	53.7	55.0	.18
3L160	\$ 4.22	14.7	16.0	.06	3L360	\$ 5.01	34.7	36.0	.12	3L560	\$ 6.68	54.7	56.0	.19
3L170	\$ 4.22	15.7	17.0	.06	3L370	\$ 5.11	35.7	37.0	.12	3L570	\$ 6.74	55.7	57.0	.19
3L180	\$ 4.22	16.7	18.0	.06	3L380	\$ 5.23	36.7	38.0	.13	3L580	\$ 6.84	56.7	58.0	.19
3L190	\$ 4.22	17.7	19.0	.07	3L390	\$ 5.33	37.7	39.0	.13	3L590	\$ 6.89	57.7	59.0	.20
3L200	\$ 4.22	18.7	20.0	.07	3L400	\$ 5.43	38.7	40.0	.13	3L600	\$ 6.96	58.7	60.0	.20
3L210	\$ 4.22	19.7	21.0	.07	3L410	\$ 5.54	39.7	41.0	.14	3L610	\$ 7.08	59.7	61.0	.20
3L220	\$ 4.22	20.7	22.0	.08	3L420	\$ 5.62	40.7	42.0	.14	3L620	\$ 7.15	60.7	62.0	.21
3L230	\$ 4.22	21.7	23.0	.08	3L430	\$ 5.67	41.7	43.0	.14	3L630	\$ 7.23	61.7	63.0	.21
3L240	\$ 4.22	22.7	24.0	.08	3L440	\$ 5.74	42.7	44.0	.15	3L640	\$ 7.29	62.7	64.0	.21
3L250	\$ 4.22	23.7	25.0	.09	3L450	\$ 5.86	43.7	45.0	.15	3L650	\$ 7.39	63.7	65.0	.22
3L260	\$ 4.29	24.7	26.0	.09	3L460	\$ 5.93	44.7	46.0	.15	3L660	\$ 7.47	64.7	66.0	.22
3L270	\$ 4.35	25.7	27.0	.09	3L470	\$ 6.04	45.7	47.0	.16	3L670	\$ 7.57	65.7	67.0	.22
3L280	\$ 4.43	26.7	28.0	.10	3L480	\$ 6.11	46.7	48.0	.16	3L690	\$ 7.72	67.7	69.0	.23
3L290	\$ 4.50	27.7	29.0	.10	3L490	\$ 6.17	47.7	49.0	.16	3L730	\$ 8.11	71.7	73.0	.24
3L300	\$ 4.58	28.7	30.0	.10	3L500	\$ 6.25	48.7	50.0	.17	3L740	\$ 8.22	72.7	74.0	.25
3L310	\$ 4.62	29.7	31.0	.11	3L510	\$ 6.33	49.7	51.0	.17	3L760	\$ 8.39	74.7	76.0	.25



All "4L" Belts Feature Goodyear's Exclusive Molded Cog Design For Smoother, Cooler and Quieter Running Drives

4L SECTION FHP BELTS: Top Width = 0.50" Thickness = 0.31"

BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB
4L150	\$ 4.43	13.0	15.0	.09	4L310	\$ 4.86	29.0	31.0	.16	4L470	\$ 6.39	45.0	47.0	.24
4L160	\$ 4.43	14.0	16.0	.08	4L320	\$ 4.93	30.0	32.0	.16	4L480	\$ 6.43	46.0	48.0	.24
4L170	\$ 4.43	15.0	17.0	.09	4L330	\$ 5.01	31.0	33.0	.17	4L490	\$ 6.50	47.0	49.0	.24
4L180	\$ 4.43	16.0	18.0	.09	4L340	\$ 5.11	32.0	34.0	.17	4L500	\$ 6.57	48.0	50.0	.25
4L190	\$ 4.43	17.0	19.0	.10	4L350	\$ 5.19	33.0	35.0	.18	4L510	\$ 6.65	49.0	51.0	.25
4L200	\$ 4.43	18.0	20.0	.10	4L360	\$ 5.29	34.0	36.0	.18	4L520	\$ 6.72	50.0	52.0	.26
4L210	\$ 4.43	19.0	21.0	.11	4L370	\$ 5.35	35.0	37.0	.19	4L530	\$ 6.78	51.0	53.0	.26
4L220	\$ 4.43	20.0	22.0	.11	4L380	\$ 5.47	36.0	38.0	.19	4L540	\$ 6.86	52.0	54.0	.27
4L230	\$ 4.43	21.0	23.0	.12	4L390	\$ 5.62	37.0	39.0	.20	4L550	\$ 6.93	53.0	55.0	.27
4L240	\$ 4.43	22.0	24.0	.12	4L400	\$ 5.72	38.0	40.0	.20	4L560	\$ 7.04	54.0	56.0	.28
4L250	\$ 4.43	23.0	25.0	.13	4L410	\$ 5.84	39.0	41.0	.21	4L570	\$ 7.11	55.0	57.0	.28
4L260	\$ 4.50	24.0	26.0	.13	4L420	\$ 5.90	40.0	42.0	.21	4L580	\$ 7.17	56.0	58.0	.29
4L270	\$ 4.58	25.0	27.0	.14	4L430	\$ 6.01	41.0	43.0	.22	4L590	\$ 7.26	57.0	59.0	.29
4L280	\$ 4.65	26.0	28.0	.14	4L440	\$ 6.15	42.0	44.0	.22	4L600	\$ 7.35	58.0	60.0	.30
4L290	\$ 4.72	27.0	29.0	.15	4L450	\$ 6.26	43.0	45.0	.23					
4L300	\$ 4.80	28.0	30.0	.15	4L460	\$ 6.33	44.0	46.0	.23					



All "5L" Belts Feature Goodyear's Exclusive Molded Cog Design For Smoother, Cooler and Quieter Running Drives

5L SECTION FHP BELTS: Top Width = 0.66" Thickness = 0.38"

BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB	BELT NO.	LIST PRICE	INSIDE LGTH (IN.)	OUTS LGTH (IN.)	FHP WT LB
5L230	\$ 5.43	20.0	23.0	.18	5L350	\$ 6.74	32.0	35.0	.27	5L470	\$ 8.94	44.0	47.0	.36
5L240	\$ 5.43	21.0	24.0	.19	5L360	\$ 6.89	33.0	36.0	.28	5L480	\$ 9.12	45.0	48.0	.37
5L250	\$ 5.43	22.0	25.0	.20	5L370	\$ 7.00	34.0	37.0	.29	5L490	\$ 9.29	46.0	49.0	.38
5L260	\$ 5.57	23.0	26.0	.20	5L380	\$ 7.15	35.0	38.0	.29	5L500	\$ 9.44	47.0	50.0	.38
5L270	\$ 5.72	24.0	27.0	.21	5L390	\$ 7.35	36.0	39.0	.30	5L510	\$ 9.58	48.0	51.0	.39
5L280	\$ 5.84	25.0	28.0	.22	5L400	\$ 7.65	37.0	40.0	.31	5L520	\$ 9.73	49.0	52.0	.40
5L290	\$ 5.96	26.0	29.0	.23	5L410	\$ 7.86	38.0	41.0	.32	5L530	\$ 9.85	50.0	53.0	.41
5L300	\$ 6.08	27.0	30.0	.23	5L420	\$ 8.05	39.0	42.0	.32	5L540	\$ 10.00	51.0	54.0	.41
5L310	\$ 6.23	28.0	31.0	.24	5L430	\$ 8.22	40.0	43.0	.33	5L550	\$ 10.12	52.0	55.0	.42
5L320	\$ 6.35	29.0	32.0	.25	5L440	\$ 8.39	41.0	44.0	.34	5L560	\$ 10.19	53.0	56.0	.43
5L330	\$ 6.50	30.0	33.0	.26	5L450	\$ 8.57	42.0	45.0	.35					
5L340	\$ 6.65	31.0	34.0	.26	5L460	\$ 8.76	43.0	46.0	.35					